



## Technical Datasheet

### Planter Box with planter Duplex



### Manufacturer

Richard Brink GmbH & Co KG  
Metal goods manufacture and distribution  
Görlitzer Str. 1  
33758 Schloß Holte-Stukenbrock  
Phone: 0049 (0)5207 9504-0  
Fax: 0049 (0)5207 9504-20



## Product description

The planter boxes with insertable planters are a double-walled construction with separately usable troughs. Plants are optimally protected from frost and dehydration. The insulating layer of air between the planter box and the trough effectively keeps heat and cold away. The planters can be easily removed through the retractable handles. The troughs are available in stainless steel and hot-dip galvanized steel.

The planter box is delivered in individual parts and is assembled by the customer on site.

## Dimensions (for both materials)

Height	Width	Depth	Material thickness
500 mm	500 mm	500 mm	1.50 mm
1000 mm	500 mm	500 mm	1.50 mm
500 mm	500 mm	1000 mm	1.50 mm

On customer request, custom-made products are possible on request.

## Materials used

We only use European material from Germany, Sweden, France and Italy for our products. A coloured coating is possible on customer request.

## Processing and care instructions

In principle, caution is advised when using the planter boxes in all materials.

Dust particles of other metals or general cutting of components with flying sparks on the product should generally be avoided, as the surfaces of all materials are very sensitive. If dust particles or dirt from other metals are present, they must be removed immediately with appropriate cleaning agents.

In order to maintain the external appearance of the planter boxes in the long term, regular cleaning work is generally recommended. The planter boxes made of stainless steel and hot-dip galvanized steel must be cleaned by hand with suitable, non-abrasive cleaning agents.

Further installation and usage instructions as well as information on the material can be found at: <https://www.richard-brink.de/en/downloads/overview.html>